



TITLE:

Cover

AUTHOR(S):

---

CITATION:

Cover. The Review of Physical Chemistry of Japan 1973, 43(1)

ISSUE DATE:

1973-09-01

URL:

<http://hdl.handle.net/2433/46979>

RIGHT:

Vol. 43, 1973

No. 1

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

## CONTENTS

<b>Kaoru Date:</b> Studies on the <i>P-V-T</i> Relations of Fluids at High Pressure I.....	1
<b>Kaoru Date:</b> Studies on the <i>P-V-T</i> Relations of Fluids at High Pressure II.....	17
<b>Yasuhiko Matsubara, Kiyoshi Shimizu and Jiro Osugi:</b> The Transference Numbers of KCl Aqueous Solution under Pressure.....	24
<b>Masakatsu Ueno, Kiyoshi Shimizu and Jiro Osugi:</b> The Electrical Conductivity of [Co(NH <sub>3</sub> ) <sub>5</sub> NO <sub>2</sub> ] SO <sub>4</sub> in Aqueous Solution under High Pressure .....	33
<b>Muneo Sasaki:</b> Kinetic and Equilibrium Studies on $\sigma$ -Complexes of 2, 4, 6-Trinitro- anisole and Picrylsulphonate with Sulphite Ion in Aqueous Solution .....	44
<b>Tadashi Makita, Yoshiyuki Tanaka and Akira Nagashima:</b> Evaluation and Correlation of Viscosity Data, The Most Probable Values of the Viscosity of Gaseous Methane .....	54

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

**President:** Wasaburo Jono

**Members of Council:**

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

**Board of Editors:**

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito ( " ) *Kyoto University*

S. Shida *Tokyo Institute of Technology*

T. Kitagawa *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

**Secretary:**

K. Hara

M. Nakahara

M. Furuta

September 1, 1973

**Communications to the Editor** should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Business Correspondences** should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Purchase Order** should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.


Published by

**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan



Single crystals of HORIBA., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI<sub>2</sub> are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	$8.9 \times 10^{-5}$	0.02	0.32	44
Specific gravity: gr/cm <sup>3</sup>	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: °C	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

\* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

\*\* g/100 gr water at normal temperature.

# HORIBA, Ltd.

## Head office & Factory:

Miyano Higashi-machi,  
Kissyojin, Minami-Ku, Kyoto  
Tel: (075) 313-8121

## Tokyo branch office:

No. 2-18, Nishihatchobori, Chuo-ku,  
Tokyo Tel: (03) 552-7661

# ASAHI CHEMICAL INDUSTRY CO., LTD.

**Capital:** ¥24,905,158,600

**President:** KAGAYAKI MIYAZAKI

**Head Office:** 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

**Tokyo Office:** 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

**Other Branch Offices:** Nobeoka, Nagoya, Fukuoka, Mizushima, Fuji, Kawasaki, Sapporo, Hokuriku, New York, Hamburg, Hong Kong, Taipei, Beirut, Djakarta.

**Plants:** Nobeoka, Mizushima, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo, Hozumi, Iwakuni, Shiraori.

**Laboratories:** Tokyo, Nobeoka, Takatsuki

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.

Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki and Mizushima plants, Asahi produces polyacrylic fiber "Cashmilon" by its own process. Production of acrylonitrile monomer and polyacrylic fiber is also the largest in

Japan. Asahi's chemical seasoning (monosodium glutamate) Asahi Aji, MITASU, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and explosives production is the largest in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL" and "AHS Pile".

With a view to expanding into a more diversified chemical company, Asahi Chemical is now constructing at Mizushima, Okayama Prefecture, a petrochemical complex at which such industrial chemicals as high density polyethylene "SUNTEC" and acrylonitrile monomer are already in production and ammonia will soon be manufactured.

The products of Asahi are exported to more than 100 countries while its techniques and plants are exported to more than 10 countries including the U.S.A., England, France, U.S.S.R., Italy and Korea where all of these are enjoying a great reputation.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multi-purpose chemical company.

# KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows: "Kanealon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- \* KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- \* KANEKA's products have, for the most part, originated in its own laboratories.
- \* 55% of KANEKA's products have been developed on its hands for the first time in Japan.

## KANEKA




For further details, please write to:

**KANEGAFUCHI CHEMICAL IND. CO., LTD.**


**Head Office:** (Asahi Shinbun Bldg.) 3, 3-chome, Nakanoshima, Kita-ku, Osaka, Japan  
Phone: Osaka (06) 202-1121  
(Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku, Tokyo, Japan  
Phone: Tokyo (03) 216-1011

**New York Office:** PANAM Bldg., 37th Floor, 200 Park Avenue, New York, N.Y. 10017, U.S.A.  
Phone: (212) 973-4885

**Europe Office:** 4 Dusseldorf Berliner Allee 26, West Germany  
Phone: 12738



# KS TYPE SUPER-HIGH -PRESSURE APPARATUS



## Specification

- Sample Chamber Dimension: 20 × 20 × 20 mm
- Generating Pressure: 100,000 Kg/cm<sup>2</sup>
- Press. cap: 2,500 t

## DIA. Apparatus

- Cubic Anvil Apparatus
- Unique Pressing Mechanism for Complete Synchronization

(Fluid Pressure up to 20,000Kg/cm<sup>2</sup>  
Solid Pressure up to 100,000Kg/cm<sup>2</sup>)

- Super-High-Pressure Generator
- High-Pressure High-Temperature Apparatus
- High-Pressure Gauge
- Various Super-High-Pressure Systems



**KOBE STEEL**  
MACHINERY DIVISION

Tokyo Office: Tekko Building, 8-2, 1-chome, Maunouchi, Chiyoda-ku, Tokyo, Japan Phone: Tokyo (03) 218-7111

Düsseldorf Office: Immenmannstr. 10, 4000 Düsseldorf, West Germany Phone: (0211) 358020, 364550

New York Office: 529 Fifth Avenue, New York, N.Y. 10017, U.S.A. Phone: (212) 667-9710/6

Chicago Office: 111 East Wacker Drive, Chicago, Ill. 60601, U.S.A. Phone: (312) 644-2235/9